



*** T1PW 5Y30 (01) *** (2100 1121) 00-06-26

DH1~DH2=13499 (±20)


Coordinates			
Mark	X	Y	R
GM	0	0	—
DH1	-6850	-1200	—
DH2	6620	-2080	—
a1	-6062	-8648	300
a2	-5872	-4111	200
a3	-4850	-4915	200
a4	-4356	-4991	300
a5	3166	-5581	300
a6	3665	-5583	200
a7	4800	-4948	200
a8	5060	-4521	300
f1	4684	5943	1300
f2	-6086	4956	1300



Quantity	Unit	1/1000 mm	Cal. No. : 5Y30
Scale	Scale	11:1	Parts:
Date	Drawn		Name:
Checked	Checked	T. Hiruta	Frame for Case
Approved	Approved		Drawing No. : 5Y30C0000
Material	General Tolerances		
Heat Treatment	Dimensions		
Hardness	Angles		
Plating			

CITIZEN WATCH CO., LTD.
TOKYO, JAPAN

This drawing is provisional and subject to our reconfirmation and/or revision without notice.




*** T I P W (01) *** (2100 1121) 5Y30-00A

7		Quantity		Cal. No. :	5Y30-00A
6		Unit	1/1000 mm	Parts:	
5		Scale	8:1	Name:	Indications for Dial
4		Date		Drawing No. :	5Y30D000
3		Drawn			
2		Checked	T. Hiruta		
1		Approved			
Material					
Heat Treatment		General Tolerances		CITIZEN WATCH CO., LTD. TOKYO, JAPAN	
Hardness		Dimensions			
Plating		Angles			

This drawing is provisional and subject to our reconfirmation and/or revision without notice.

*** T I P W (01) *** (2100 1121) 00-06-22 065-403



7			Quantity		Cal. No. :
6			Unit	1/1000 mm	Parts:
5			Scale	20:1	
4			Date		065-403
3			Drawn		
2			Checked	T. Hiruta	Name:
1			Approved		SETTING STEM
Material					Drawing No. : 4030S000
Heat Treatment			General Tolerances		<div style="font-size: 2em; font-weight: bold; margin-bottom: 5px;">CITIZEN</div> WATCH CO., LTD. TOKYO, JAPAN
Hardness			Dimensions		
Plating			Angles		